

RM-16 - Residential Multi-Family High Density District

Section 7-8-7 – Unified Development Ordinance City of Asheville Zoning Districts

- (a) Purpose. It is the intent of the RM-16 Residential Multi-Family High Density District to permit a full range of high density multi-family housing types along with limited institutional, public and commercial uses appropriate within high density residential areas. It is intended that this district be located near employment centers, shopping facilities, roads and other urban infrastructure capable of handling the demand generated by high density residential development.
- (b) Permitted uses.

Residential.

Dwellings, multi-family Dwellings, single-family detached Dwellings, single-family zero lot line

Recreational.

Arboretums
Golf courses
Passive parks
Recreational uses, governmental
Recreational uses, related to residential development

Institutional.

Orphanages

Public/semi-public.

Community centers Fire/police stations Libraries

RM-16 Residential Multi Family High Density District

Any questions about the terminology used in this document should be directed to the Planning & Development Department at 828-259-5831.

Other.

Cemeteries, columbariums

(c) Prohibited uses. Any use not specifically listed as a permitted use or a use by right, subject to special requirements, or a conditional use in the RM-16 Residential Multi-Family High Density District is prohibited.

Gated communities. This shall not include those gated communities lawfully established prior to June 12, 2007, or extend to those properties acquired as part of such communities prior to June 12, 2007, provided it can be demonstrated that these properties were included in a documented community masterplan.

(d) Uses by right, subject to special requirements. See article XVI for specific requirements.

Accessory apartments

Accessory structures

Adult day care centers

Adult day care homes

Antenna

Assisted living facilities

Bed and breakfast homestays

Bed and breakfast inns

Boardinghouses

Child day care centers

Child day care homes

Cottage developments

Family care homes

Fraternity and sorority houses

Group homes

Home occupations

Places of worship

Public utilities and related facilities

Recreational uses, restricted to membership, non-profit

Residential related community services

Schools

Townhouses

Vacation rentals

Wireless telecommunication facilities, concealed

Wireless telecommunication facilities, co-located

Wireless telecommunication facilities, microcell

(e) Conditional uses.

Ancillary non-residential uses in residential districts
Development standard bonuses for residential zoning districts
Level III projects

- (f) Development standards.
 - (1) Density standards. The maximum residential density in the RM-16 District shall be one dwelling unit per 2,500 square feet of lot area.
 - (2) Structure size standards. None required.
 - (3) Lot size standards. The minimum lot size in the RM-16 District shall be 5,000 square feet for multi-family development; 2,500 square feet for attached single family development and 3,500 square feet for detached single family development.
 - (4) Lot width standards. Lots in the RM-16 District shall have a minimum width of 50 feet.
- (5) Setback standards. The following minimum setbacks shall be required for uses in the RM-16 District.

Front:		15 ft.
Side:	Single family	6 ft.
	detached and	
	multi-family 4	
	or fewer units	
	per building:	
	More than 4	15 ft. for first
	units per	unit, 2 ft.
	building:	additional for
		each additional
		unit up to a
		maximum
		required
		setback of 40 ft.

Rear:	Single-family detached and multi-family with 4 or fewer units per building	15 ft.
	More than 4 units per building	15 ft. for first units, 2 ft. additional for each additional unit up to a maximum required setback of 40 ft.

The landscape and buffering standards (section 7-11-3) may require additional setback; if so, the most restrictive requirement shall apply.

The minimum spacing between structures shall, in addition, be as per the Asheville Fire Prevention Code.

- (6) Impervious surface standards. None.
- (7) Height standards. The maximum height of structures in the RM-16 District shall be 40 feet.
- (8) Landscaping/buffering standards. Landscaping and/or buffering shall be provided as required by section 7-11-3 of this chapter.
- (9) Parking/loading standards. Parking and loading facilities shall be provided as required by section 7-11-2 of this chapter. No parking shall be permitted in any required setback.
- (10) Sidewalk standards. Sidewalks shall be provided as required by and pursuant to the requirements for sidewalks as set forth in section 7-11-8 of this chapter.
- (11) Access standards. None.
- (12) Recreational/open space standards. Open space shall be provided as required by section 7-11-4 of this chapter.
- (13) Design and operation standards. None required.

RM-16 Residential Multi Family High Density District

(14) *Emergency wireless communications*. Communication requirements shall be provided as required by section 7-11-9 of this chapter.

(Ord. No. 2369, § 1, 5-27-97; Ord. No. 2506, § 1, 8-11-98; Ord. No. 2527, § 1, 11-10-98; Ord. No. 2584, § 1(f), 6-22-99; Ord. No. 2663, § 1(f), 2-8-00; Ord. No. 2664, § 1(g), 2-8-00; Ord. No. 2735, § 1d., 8-22-00; Ord. No. 2772, § 1(c), 11-28-00; Ord. No. 2871, § 1(f), 11-27-01; Ord. No. 2901, § 1(g), 3-12-02; Ord. No. 3031, § 1(f), 6-10-03; Ord. No. 3064, § 1(d), 10-14-03; Ord. No. 3156, § 1, 8-24-04; Ord. No. 3483, § 1(b), 6-2-07; Ord. No. 3489, § 1(b), 6-19-07; Ord. No. 3572, § 1(i), 1-8-08; Ord. No. 3583, § 1(a), 2-12-08; Ord. No. 3643, § 1a, 7-22-08)